



Spray Applied Acoustic Treatment

Sonoglass is a fiberglass based, spray applied acoustical treatment designed to provide superior acoustical values with a finished appearance. Manufactured by Monoglass, Sonoglass has over 30 years of success behind it. As a spray applied product, Sonoglass will adhere to almost any surface configuration. This makes it ideal for applications to curved and irregular shaped ceilings such as churches, gymnasiums and theatres.

With only a thin application of Sonoglass, noise reverberation times can be greatly reduced, improving audibility and comfort at a reasonable cost.

Sonoglass has been tested to the following standards:

ASTM C423:

NRC of 1.0 @ 1.7"
NRC of 0.75 @ 0.8"


ASTM E84:

Smoke Developed Classification = 0
Flame Spread Classification = 0

ASTM C-518:

Thermal Resistance R 3.733 / inch

Sonoglass is a great choice for finished exposed applications. It comes in standard white, or can be tinted or painted with standard latex paint.



For areas that require extra durability Sonoglass can be protected with our INSULSEAL Protective Coating. INSULSEAL provides a resilient finish for areas where occasional physical contact may occur, and is a great choice for gymnasiums and schools. Best of all, test show that when INSULSEAL is applied in a moderate thickness, the NRC ratings of Sonoglass are not affected.

For projects requiring a finished appearance and superior NRC values, Sonoglass is the perfect choice. For your next project, make Sonoglass the Silent Solution.

Monoglass Incorporated



PO Box 1690
Shelter Island, NY 11964
www.goodingassociates.com
Tel: 631-749-3313
Fax: 631-749-3356